

## Syl-Line Trunking

SYL-LINE 3.44M TRUNKING 10 CORE WH  
0042074



### Product features

- 3.44m Trunking Section, 10 Core, White



## PRODUCT OVERVIEW

Product name	SYL-LINE 3.44M TRUNKING 10 CORE WH
Technology	LED
Housing	Aluminium
Mount	Ceiling surface mounting, Suspended
Environment	Interior
General application	Logistics & Industry, Retail
Warranty	5 years
Fixture luminous flux (lm)	1047
Luminaire efficacy (lm/W)	87.25
LOR (%)	100
Light colour	Warm White
CRI (Ra)	80
Colour Consistency (SDCM)	5
Beam Angle (°)	74
Photobiological Risk Group	RG0
Total power consumption (W)	12
Electrical protection	Class II
Control gear type	Electronic ballast
Housing colour	White
IP rating	IP20
IK rating	IK02
Product EAN number	5410288420745

## DATA TABLE

### General data

Product name	SYL-LINE 3.44M TRUNKING 10 CORE WH
Technology	LED
Housing	Aluminium
Mount	Ceiling surface mounting, Suspended
Environment	Interior
General application	Logistics & Industry, Retail
Operating temperature range (°C)	-10°C - 40°C

## Syl-Line Trunking

SYL-LINE 3.44M TRUNKING 10 CORE WH

0042074

Warranty 5 years

### Optical data

Fixture luminous flux (lm)	1047
Luminaire efficacy (lm/W)	87.25
LOR (%)	100
Light colour	Warm White
CRI (Ra)	80
Colour Consistency (SDCM)	5
Adjustable chromaticity	N
Beam Angle (°)	74
Distribution type	Symmetric
Photobiological Risk Group	RG0

### Electrical data

Total power consumption (W)	12
Mains voltage (V)	220-240V~
Electrical protection	Class II
Control gear type	Electronic ballast
Transformer required	Yes
Drive current (mA)	300
Inrush Current (A)	6.3
Inrush Duration (µs)	830
Glow Wire Test (°C)	650
Nominal Frequency (Hz)	50/60Hz
Max. Luminaires per 10A C Breaker	10
Max. Luminaires per 16A C Breaker	17

### Physical data

Housing colour	White
IP rating	IP20
IK rating	IK02
Diffuser finish	Opal
Diffuser material	PC Polycarbonate
Reflector finish	Other
Nominal Product Length (mm)	3440
Nominal Product Width (mm)	70
Nominal Product Height (mm)	82
Cutout Dimensions (W x L in mm or Diameter in mm)	145 x 145
Weight (kg)	5.5

### Packaging

Single packaging type	Plastic
Product EAN number	5410288420745
Packaging single length / height (cm)	365.0
Packaging single width (cm)	8.0
Packaging single depth (cm)	8.0
DUN14 (outer)	05410288420745

## Syl-Line Trunking

*SYL-LINE 3.44M TRUNKING 10 CORE WH*  
0042074

Units per outer package	1
Packaging outer length / height (cm)	369.0
Packaging outer width (cm)	8.1
Packaging outer depth (cm)	8.1

### Safety data

Optimal operating condition (°C)	-10-40
----------------------------------	--------

## TECHNICAL DRAWINGS

