



Customise your spotlight or choose ready-to-go



SylSpot Housing & Kit

A range of modern and compact spotlights with quick and easy lamp mounting from the front - a simple twist&lock to change it! SylSpot features a high-quality synthetic surface designed to prevent dust collection and ensure long product life. The ideal solution for residential applications such as kitchens, living rooms, bedrooms and hallways.

SylSpot Kit comes with a high-performance, non-dimmable LED GU10 spotlight with a lumen output up to 345lm that delivers good

colour rendering of CRI80. The lamp has a long 15,000 hour lifetime, with 50,000 on-off cycles and a 3 year warranty.

SylSpot Housing is recommended for use with any Sylvania LED GU10 spotlight depending on the requirements, up to 7.5W max. The spot housing comes with a round, adjustable bezel, available in a white or chrome finish. A GU10 socket with fast wiring terminal block is included.

SylSpot Kit



Features

- A range of modern and compact spotlights with a quick and easy lamp mounting from the front. Simply twist&lock to change it
- The special high-quality synthetic surface of SylSpot prevents dust collection and ensures long product life
- Supplied with a non-dimmable LED GU10 spotlight
- Adjustable vertical tilt +/- 25°
- High switching cycles: >50,000
- Good colour rendering: CRI80
- High performance: delivers up to 345lm and up to 77lm/W (total system efficiency)
- Available in Warm White (3000K), Neutral White (4000K) and Cool White (6500K).
- Lifetime: 15,000 hours at 70% of the original output (L70)
- Energy class: A+

Product information

Code	Description	Fixture Colour	Correlated Colour Temperature (K)	CRI	Fixture Lumen (lm)	Total Power Consumption (W)	Luminaire Efficacy (lm/W)	Nominal Beam Angle (°)	Mains voltage (V)
SylSpot Kit									
SylSpot Kit - Single pack									
0005725	SylSpot Kit R 345lm 830 ADJ IP20 WH	White	3000	80	345	4.5	77	36	220-240V
0005726	SylSpot Kit R 345lm 840 ADJ IP20 WH	White	4000	80	345	4.5	77	36	220-240V
0005727	SylSpot Kit R 345lm 865 ADJ IP20 WH	White	6500	80	345	4.5	77	36	220-240V
0005728	SylSpot Kit R 345lm 830 ADJ IP20 CH	Chrome	3000	80	345	4.5	77	36	220-240V
0005729	SylSpot Kit R 345lm 840 ADJ IP20 CH	Chrome	4000	80	345	4.5	77	36	220-240V
0005730	SylSpot Kit R 345lm 865 ADJ IP20 CH	Chrome	6500	80	345	4.5	77	36	220-240V
SylSpot Kit - Pack of 3									
0005731	SylSpot Kit R 345lm 830 ADJ IP20 WH 3PK	White	3000	80	345	4.5	77	36	220-240V
0005732	SylSpot Kit R 345lm 840 ADJ IP20 WH 3PK	White	4000	80	345	4.5	77	36	220-240V
0005733	SylSpot Kit R 345lm 865 ADJ IP20 WH 3PK	White	6500	80	345	4.5	77	36	220-240V
0005734	SylSpot Kit R 345lm 830 ADJ IP20 CH 3PK	Chrome	3000	80	345	4.5	77	36	220-240V
0005735	SylSpot Kit R 345lm 840 ADJ IP20 CH 3PK	Chrome	4000	80	345	4.5	77	36	220-240V
0005736	SylSpot Kit R 345lm 865 ADJ IP20 CH 3PK	Chrome	6500	80	345	4.5	77	36	220-240V

Additional Images




White




Chrome

Photometric Data



Dimensions (mm)



SylSpot Housing



Features

- A range of modern and compact spotlight housings with a quick and easy lamp mounting from the front. Simply twist&lock to change it
- The special high-quality synthetic surface of SylSpot prevents dust collection and ensures long product life
- GU10 socket included with fast wiring terminal block
- Available in white or chrome finish
- Adjustable vertical tilt +/- 25°
- Recommended for use with any Sylvania LED GU10 spotlight, up to 7.5W max
- Not suitable for use with Halogen lamps

Product information

Code	Description	Fixture Colour	Fixture Length (mm)	Fixture Width (mm)	Fixture Height (mm)	Cutout Dimensions (W x L in mm or Diameter in mm)	IP Rating	IK Rating	Mains voltage (V)
SylSpot Housing									
SylSpot Housing - Single pack									
0005752	Sylspot Housing R ADJ IP20 WH	White	85	85	33	68-76	IP20	IK02	220-240V
0005753	Sylspot Housing R ADJ IP20 CH	Chrome	85	85	33	68-76	IP20	IK02	220-240V
SylSpot Housing - Pack of 3									
0005754	Sylspot Housing R ADJ IP20 WH 3PK	White	85	85	33	68-76	IP20	IK02	220-240V
0005755	Sylspot Housing R ADJ IP20 CH 3PK	Chrome	85	85	33	68-76	IP20	IK02	220-240V

Additional Images




White



Chrome



Dimensions (mm)



SYLVANIA



Although every effort has been made to ensure accuracy in the compilation of the technical detail within this publication, specifications and performance data are constantly changing. Current details should therefore be checked with Feilo Sylvania Europe Limited.

Copyright Feilo Sylvania Europe Limited October 2019

sylvania-lighting.com

A Feilo Sylvania Company