



Efficient and affordable lighting at its best!



ToLEDo GLS & Globe G120

Sylvania's new ToLEDo GLS & G120 LED lamps are the perfect alternative for medium to high power incandescent, halogen and compact fluorescent. Compact, elegant and energy efficient, these exceptional value for money products last 15,000 hours and deliver instant soothing light at the flick of the switch and save up to 87% energy.

The frosted finish ensures a cosy, diffused light emission at a very wide angle and matches the ambience created by traditional GLS lamps.

The ToLEDo GLS & G120 LED lamps are ideal choice for decorative and general lighting applications for living rooms, hotels, restaurants, lobbies, corridors, stairwells, reception areas, high ceiling areas.

ToLEDo GLS & G120



Features


- Compact and elegant design
- Wide range of lumen outputs, from 470lm to 2550lm
- Up to 87% energy saving compared to incandescent lamps
- Instant light at the flick of a switch
- Suitable for replacement of up 150W incandescent lamps
- Uniform light distribution
- Available in different colour temperatures - 2700K, 4000K and 6500K
- Good colour rendering (CRI 80)
- Perfect for hotels, restaurants, lobbies, corridors, stairwells, reception areas, high ceiling rooms
- Lower maintenance costs

Product information

Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Life (hours)	Equivalent Wattage (W)	Energy Class	Sales Pack Size
ToLEDo GLS A60 V4 Non-dimmable											
0026670	ToLEDo GLS V4 470lm 827 E27 SL	220-240	6	470	78	2700	E27	15,000	40	A+	6
0026674	ToLEDo GLS V4 470lm 827 B22 SL	220-240	6	470	78	2700	B22	15,000	40	A+	6
0026628	ToLEDo GLS V4 500lm 865 E27 SL	220-240	6	500	83	6500	E27	15,000	42	A+	6
0026672	ToLEDo GLS V4 810lm 827 E27 SL	220-240	9	810	90	2700	E27	15,000	60	A+	6
0026675	ToLEDo GLS V4 810lm 827 B22 SL	220-240	9	810	90	2700	B22	15,000	60	A+	6
0026668	ToLEDo GLS V4 850lm 840 E27 SL	220-240	9	850	94	4000	E27	15,000	63	A+	6
0026629	ToLEDo GLS V4 850lm 865 E27 SL	220-240	9	850	94	6500	E27	15,000	63	A+	6
0026682	ToLEDo GLS V5 1060lm 827 E27 SL	220-240	10.5	1060	101	2700	E27	15,000	75	A+	6
0026686	ToLEDo GLS V5 1080lm 840 E27 SL	220-240	10.5	1080	103	4000	E27	15,000	76	A+	6
0026632	ToLEDo GLS V5 1080lm 865 E27 SL	220-240	10.5	1080	103	6500	E27	15,000	76	A+	6
0027968	ToLEDo GLS V5 1521lm 827 E27 SL	220-240	14	1521	109	2700	E27	15,000	100	A+	6
0027966	ToLEDo GLS V5 1521lm 840 E27 SL	220-240	14	1521	109	4000	E27	15,000	100	A+	6
0027969	ToLEDo GLS V5 1521lm 865 E27 SL	220-240	14	1521	109	6500	E27	15,000	100	A+	6
ToLEDo GLS A67 V4 Non-dimmable											
0027904	ToLEDo GLS V4 1921lm 827 E27 SL	220-240	18	1921	107	2700	E27	15,000	121	A+	6
0027905	ToLEDo GLS V4 1921lm 840 E27 SL	220-240	18	1921	107	4000	E27	15,000	121	A+	6
0027906	ToLEDo GLS V4 2000lm 865 E27 SL	220-240	18	2000	111	6500	E27	15,000	126	A+	6
0027901	ToLEDo GLS V4 2452lm 827 E27 SL	220-240	20	2452	123	2700	E27	15,000	150	A++	6
0027902	ToLEDo GLS V4 2452lm 840 E27 SL	220-240	20	2452	123	4000	E27	15,000	150	A++	6
0027903	ToLEDo GLS V4 2550lm 865 E27 SL	220-240	20	2550	128	6500	E27	15,000	155	A++	6
ToLEDo G120 Non-dimmable											
0026902	ToLEDo G120 2450lm 827 E27 SL	220-240	20	2450	123	2700	E27	15,000	150	A++	6
0026903	ToLEDo G120 2450lm 840 E27 SL	220-240	20	2450	123	4000	E27	15,000	150	A++	6
0026904	ToLEDo G120 2450lm 865 E27 SL	220-240	20	2450	123	6500	E27	15,000	150	A++	6

Dimensions

A60	E27	B22
H	109	107
W	60	60
A60 1521lm	E27	
H	120	
W	60	
A67	E27	
H	143	
W	60	
G120	E27	
H	175	
W	120	



Additional Images



ToLEDo GLS Dimmable



Features


- Compact and elegant design
- Wide range of lumen outputs, from 810lm to 1521lm
- Up to 85% energy saving compared to incandescent lamps
- Instant light at the flick of a switch
- Suitable for replacement of up 100W incandescent lamps
- Uniform light distribution
- Available in different colour temperatures - 2700K, 4000K and 6500K
- Good colour rendering (CRI 80)
- Perfect for hotels, restaurants, lobbies, corridors, stairwells, reception areas
- Lower maintenance costs
- Dimmable on approved dimmers

Product information


Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Life (hours)	Equivalent Wattage (W)	Energy Class	Sales Pack Size
ToLEDo GLS A60 V4 Dimmable											
0026676	ToLEDo GLS V4 DIM 810lm 827 E27 SL	220-240	10	810	81	2700	E27	15,000	60	A+	6
0026677	ToLEDo GLS V4 DIM 810lm 827 B22 SL	220-240	10	810	81	2700	B22	15,000	60	A+	6
0026683	ToLEDo GLS V4 DIM 1060lm 827 E27 SL	220-240	11	1060	96	2700	E27	15,000	75	A+	6
0026627	ToLEDo GLS V4 DIM 1150lm 865 E27 SL	220-240	11	1150	105	6500	E27	15,000	80	A+	6
ToLEDo GLS A66 V4 Dimmable											
0026648	ToLEDo GLS V4 DIM 1521lm 827 E27 SL	220-240	15	1521	101	2700	E27	15,000	100	A+	6

Spectral Data


2700K Homelight



4000K Cool white



6500K Daylight



Additional Images



ToLEDo GLS A60 V4 DIM 10W/11W

ToLEDo GLS A66 V4 DIM 15W

SYLVANIA



Although every effort has been made to ensure accuracy in the compilation of the technical detail within this publication, specifications and performance data are constantly changing. Current details should therefore be checked with Feilo Sylvania Europe Limited.

Copyright Feilo Sylvania Europe Limited January 2018

feilosylvania.com

A Feilo Sylvania Company