

**SYLVANIA**



## Efficient decorative lighting at its best!

ToLEDo™ GLS / Globe / Ball / Candle / Bent Tip

Sylvania's ToLEDo™ LED decorative lamps are a perfect alternative to the incandescent lamp. Compact, elegant and energy efficient, these exceptional value for money products deliver years of warm, soothing light at the flick of the switch and save up to 88% energy.

A frosted finish ensures a warm, diffused light emission at a very wide angle and match the ambience created by incandescent lamps.

ToLEDo™ LED lamps are the ideal choice for decorative applications such as wall lights, table lamps and covered fixtures.

[sylvania-lighting.com](http://sylvania-lighting.com)

## Features

- Compact and elegant design
- Wide range of lumen outputs, from 470lm to 2550lm
- Up to 86% energy saving compared to incandescent lamps
- Instant light at the flick of a switch
- Suitable for replacement of up 150W incandescent lamps
- Uniform light distribution
- Available in different colour temperatures - 2700K, 4000K and 6500K
- Good colour rendering (CRI 80)
- Perfect for hotels, restaurants, lobbies, corridors, stairwells, reception areas, high ceiling rooms
- Lower maintenance costs
- Dimmable with approved dimmers

## Product information

Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	CRI	Base	Life (hours)	Equivalent Wattage (W)	Dimmable (Y/N)	Energy Class	Packaging Qty
<b>ToLEDo™ GLS Non-Dimmable</b>													
0026670	ToLEDo GLS V6 FR 470lm 827 E27 SL	220-240	5.5	470	85	2700	80	E27	15,000	40	No	A+	6
0026674	ToLEDo GLS V6 FR 470lm 827 B22 SL	220-240	5.5	470	85	2700	80	B22	15,000	40	No	A+	6
0027053	ToLEDo GLS V6 FR 470lm 840 E27 SL	220-240	5.5	470	85	4000	80	E27	15,000	40	No	A+	6
0026628	ToLEDo GLS V6 FR 470lm 865 E27 SL	220-240	5.5	470	85	6500	80	E27	15,000	40	No	A+	6
0026672	ToLEDo GLS V6 FR 806lm 827 E27 SL	220-240	8.5	806	95	2700	80	E27	15,000	60	No	A+	6
0026675	ToLEDo GLS V6 FR 806lm 827 B22 SL	220-240	8.5	806	95	2700	80	B22	15,000	60	No	A+	6
0026668	ToLEDo GLS V6 FR 806lm 840 E27 SL	220-240	8.5	806	95	4000	80	E27	15,000	60	No	A+	6
0026629	ToLEDo GLS V6 FR 806lm 865 E27 SL	220-240	8.5	806	95	6500	80	E27	15,000	60	No	A+	6
0026682	ToLEDo GLS V6 FR 1055lm 827 E27 SL	220-240	11	1055	96	2700	80	E27	15,000	75	No	A+	6
0026689	ToLEDo GLS V6 FR 1055lm 827 B22 SL	220-240	11	1055	96	2700	80	B22	15,000	75	No	A+	6
0026686	ToLEDo GLS V6 FR 1055lm 840 E27 SL	220-240	11	1055	96	4000	80	E27	15,000	75	No	A+	6
0026632	ToLEDo GLS V6 FR 1055lm 865 E27 SL	220-240	11	1055	96	6500	80	E27	15,000	75	No	A+	6
0027968	ToLEDo GLS V6 FR 1521lm 827 E27 SL	220-240	14	1521	109	2700	80	E27	15,000	100	No	A+	6
0026650	ToLEDo GLS V6 FR 1521lm 827 B22 SL	220-240	14	1521	109	2700	80	B22	15,000	100	No	A+	6
0027966	ToLEDo GLS V6 FR 1521lm 840 E27 SL	220-240	14	1521	109	4000	80	E27	15,000	100	No	A+	6
0027969	ToLEDo GLS V6 FR 1521lm 865 E27 SL	220-240	14	1521	109	6500	80	E27	15,000	100	No	A+	6
0027904	ToLEDo GLS V5 FR 1921lm 827 E27 SL	220-240	17.5	1921	110	2700	80	E27	15,000	121	No	A+	6
0027905	ToLEDo GLS V5 FR 1921lm 840 E27 SL	220-240	17.5	1921	110	4000	80	E27	15,000	121	No	A+	6
0027906	ToLEDo GLS V5 FR 2000lm 865 E27 SL	220-240	17.5	2000	114	6500	80	E27	15,000	126	No	A+	6
0027901	ToLEDo GLS V5 FR 2452lm 827 E27 SL	220-240	20	2452	123	2700	80	E27	15,000	150	No	A++	6
0027902	ToLEDo GLS V5 FR 2452lm 840 E27 SL	220-240	20	2452	123	4000	80	E27	15,000	150	No	A++	6
0027903	ToLEDo GLS V5 FR 2550lm 865 E27 SL	220-240	20	2550	128	6500	80	E27	15,000	155	No	A++	6
<b>ToLEDo™ GLS Dimmable</b>													
0026676	ToLEDo GLS V4 DIM FR 810lm 827 E27 SL	220-240	10	810	81	2700	80	E27	15,000	60	Yes	A+	6
0026677	ToLEDo GLS V4 DIM FR 810lm 827 B22 SL	220-240	10	810	81	2700	80	B22	15,000	60	Yes	A+	6
0026683	ToLEDo GLS V4 DIM FR 1060lm 827 E27 SL	220-240	11	1060	96	2700	80	E27	15,000	75	Yes	A+	6
0026684	ToLEDo GLS V4 DIM FR 1060lm 827 B22 SL	220-240	11	1060	96	2700	80	B22	15,000	75	Yes	A+	6
0026627	ToLEDo GLS V4 DIM FR 1150lm 865 E27 SL	220-240	11	1150	105	6500	80	E27	15,000	80	Yes	A+	6
0027054	ToLEDo GLS V4 DIM FR 1150lm 840 E27 SL	220-240	11	1150	105	4000	80	E27	15,000	80	Yes	A+	6
0026647	ToLEDo GLS V4 DIM FR 1521lm 827 B22 SL	220-240	15	1521	101	2700	80	B22	15,000	100	Yes	A+	6
0026648	ToLEDo GLS V4 DIM FR 1521lm 827 E27 SL	220-240	15	1521	101	2700	80	E27	15,000	100	Yes	A+	6

# ToLEDo™ GLS Dimmable



## Additional Images



ToLEDo GLS  
5.5W/8.5W

ToLEDo GLS  
11W/15W


ToLEDo GLS  
18W/20W

ToLEDo GLS DIM  
10W/11W


ToLEDo GLS DIM  
15W

## Spectral Data


2700K Homelight



4000K Cool white




6500K Daylight



## Dimensions (mm)

<b>GLS 470lm/806lm</b>	<b>E27</b>	<b>B22</b>
H	108	105
W	60	60
<b>GLS 1055lm/1521lm</b>	<b>E27</b>	<b>B22</b>
H	120	118
W	60	60
<b>GLS 1921lm/2452lm</b>	<b>E27</b>	
H	143	
W	67	
<b>GLS DIM 810lm/1150lm</b>	<b>E27</b>	<b>B22</b>
H	109	107
W	60	60
<b>GLS DIM 1521lm</b>	<b>E27</b>	<b>B22</b>
H	140	138
W	66	66



## Features


- Compact and elegant design
- Up to 86% energy saving compared to incandescent lamps
- Instant light at the flick of a switch
- Suitable for replacement of up 150W incandescent lamps
- Uniform light distribution
- Available in different colour temperatures - 2700K, 4000K and 6500K
- Good colour rendering (CRI 80)
- Perfect for hotels, restaurants, lobbies, corridors, stairwells, reception areas, high ceiling rooms
- Lower maintenance costs

## Product information

Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	CRI	Base	Life (hours)	Equivalent Wattage (W)	Dimmable (Y/N)	Energy Class	Packaging Qty
<b>ToLEDo™ Globe Non-Dimmable</b>													
0026902	ToLEDo G120 FR 2450lm 827 E27 SL	220-240	20	2450	123	2700	80	E27	15,000	150	No	A++	6
0026903	ToLEDo G120 FR 2450lm 840 E27 SL	220-240	20	2450	123	4000	80	E27	15,000	150	No	A++	6
0026904	ToLEDo G120 FR 2450lm 865 E27 SL	220-240	20	2450	123	6500	80	E27	15,000	150	No	A++	6

## Dimensions (mm)

G120	E27
H	175
W	120



## Additional Images



ToLEDo G120  
20W



## Features


- Elegant and compact design
- Up to 88% energy saving compared to incandescent lamps
- Instant light at the flick of a switch
- Suitable for replacement of up to 60W incandescent lamps
- Available in different colour temperatures - 2700K, 4000K and 6500K
- Good colour rendering (CRI 80)
- Dimmable with approved dimmers

## Product information


Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	CRI	Base	Life (hours)	Equivalent Wattage (W)	Dimmable (Y/N)	Energy Class	Packaging Qty
<b>ToLEDo™ Ball Non-Dimmable</b>													
0026950	ToLEDo Ball V6 FR 250lm 827 E14 SL	220-240	3	250	83	2700	80	E14	15,000	25	No	A+	6
0026949	ToLEDo Ball V6 FR 250lm 827 E27 SL	220-240	3	250	83	2700	80	E27	15,000	25	No	A+	6
0028403	ToLEDo Ball V6 FR 250lm 827 B22 SL	220-240	3	250	83	2700	80	B22	15,000	25	No	A+	6
0026954	ToLEDo Ball V6 FR 470lm 827 E14 SL	220-240	5	470	94	2700	80	E14	15,000	40	No	A+	6
0026948	ToLEDo Ball V6 FR 470lm 827 E27 SL	220-240	5	470	94	2700	80	E27	15,000	40	No	A+	6
0028404	ToLEDo Ball V6 FR 470lm 827 B22 SL	220-240	5	470	94	2700	80	B22	15,000	40	No	A+	6
0027517	ToLEDo Ball V6 FR 470lm 840 E14 SL	220-240	5	470	94	4000	80	E14	15,000	40	No	A+	6
0027518	ToLEDo Ball V6 FR 470lm 840 E27 SL	220-240	5	470	94	4000	80	E27	15,000	40	No	A+	6
0026976	ToLEDo Ball V6 FR 470lm 865 E14 SL	220-240	5	470	94	6500	80	E14	15,000	40	No	A+	6
0026977	ToLEDo Ball V6 FR 470lm 865 E27 SL	220-240	5	470	94	6500	80	E27	15,000	40	No	A+	6
0028341	ToLEDo Ball V6 FR 806lm 827 E14 SL	220-240	8	806	101	2700	80	E14	15,000	60	No	A+	6
0028342	ToLEDo Ball V6 FR 806lm 827 E27 SL	220-240	8	806	101	2700	80	E27	15,000	60	No	A+	6
0028406	ToLEDo Ball V6 FR 806lm 827 B22 SL	220-240	8	806	101	2700	80	B22	15,000	60	No	A+	6
0028344	ToLEDo Ball V6 FR 806lm 840 E14 SL	220-240	8	806	101	4000	80	E14	15,000	60	No	A+	6
0028346	ToLEDo Ball V6 FR 806lm 865 E14 SL	220-240	8	806	101	6500	80	E14	15,000	60	No	A+	6
<b>ToLEDo™ Ball Dimmable</b>													
0026946	ToLEDo Ball V4 DIM FR 470lm 827 E14 SL	220-240	5.6	470	84	2700	80	E14	15,000	40	Yes	A+	6
0026947	ToLEDo Ball V4 DIM FR 470lm 827 E27 SL	220-240	5.6	470	84	2700	80	E27	15,000	40	Yes	A+	6
0028405	ToLEDo Ball V4 DIM FR 470lm 827 B22 SL	220-240	5.6	470	84	2700	80	B22	15,000	40	Yes	A+	6
0027519	ToLEDo Ball V4 DIM FR 470lm 840 E14 SL	220-240	5.6	470	84	4000	80	E14	15,000	40	Yes	A+	6
0027520	ToLEDo Ball V4 DIM FR 470lm 840 E27 SL	220-240	5.6	470	84	4000	80	E27	15,000	40	Yes	A+	6
0026974	ToLEDo Ball V4 DIM FR 470lm 865 E14 SL	220-240	5.6	470	84	6500	80	E14	15,000	40	Yes	A+	6
0026975	ToLEDo Ball V4 DIM FR 470lm 865 E27 SL	220-240	5.6	470	84	6500	80	E27	15,000	40	Yes	A+	6

## Spectral Data


2700K Homelight



4000K Cool white




6500K Daylight



## Dimensions (mm)

250lm/ 470lm	E14	E27	B22
<b>L</b>	82	77	75
<b>W</b>	45	45	45
806lm	E14	E27	B22
<b>L</b>	90	90	89
<b>W</b>	45	45	45



## Additional Images



# ToLEDo™ Candle & Bent Tip



## Features


- Elegant and compact design.
- Up to 88% energy saving compared to incandescent lamps
- Instant light at the flick of a switch
- Suitable for replacement of up to 60W incandescent lamps
- Available in different colour temperatures - 2700K, 4000K and 6500K
- Good colour rendering (CRI 80)
- Bent tip shape resembles a candle's flame - providing a classic look
- Dimmable with approved dimmers

## Product information


Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	CRI	Base	Life (hours)	Equivalent Wattage (W)	Dimmable (Y/N)	Energy Class	Packaging Qty
<b>ToLEDo™ Candle Non-Dimmable</b>													
0026920	ToLEDo Candle V6 FR 250lm 827 E14 SL	220-240	3	250	83	2700	80	E14	15,000	25	No	A+	6
0028397	ToLEDo Candle V6 FR 250lm 827 B22 SL	220-240	3	250	83	2700	80	B22	15,000	25	No	A+	6
0027514	ToLEDo Candle V6 FR 250lm 840 E14 SL	220-240	3	250	83	4000	80	E14	15,000	25	No	A+	6
0026972	ToLEDo Candle V6 FR 250lm 865 E14 SL	220-240	3	250	83	6500	80	E14	15,000	25	No	A+	6
0026931	ToLEDo Candle V6 FR 470lm 827 E14 SL	220-240	5	470	94	2700	80	E14	15,000	40	No	A+	6
0026933	ToLEDo Candle V6 FR 470lm 827 E27 SL	220-240	5	470	94	2700	80	E27	15,000	40	No	A+	6
0028398	ToLEDo Candle V6 FR 470lm 827 B22 SL	220-240	5	470	94	2700	80	B22	15,000	40	No	A+	6
0027515	ToLEDo Candle V6 FR 470lm 840 E14 SL	220-240	5	470	94	4000	80	E14	15,000	40	No	A+	6
0026973	ToLEDo Candle V6 FR 470lm 865 E14 SL	220-240	5	470	94	6500	80	E14	15,000	40	No	A+	6
0028334	ToLEDo Candle V6 FR 806lm 827 E14 SL	220-240	8	806	101	2700	80	E14	15,000	60	No	A+	6
0028335	ToLEDo Candle V6 FR 806lm 827 E27 SL	220-240	8	806	101	2700	80	E27	15,000	60	No	A+	6
0028399	ToLEDo Candle V6 FR 806lm 827 B22 SL	220-240	8	806	101	2700	80	B22	15,000	60	No	A+	6
0028337	ToLEDo Candle V6 FR 806lm 840 E14 SL	220-240	8	806	101	4000	80	E14	15,000	60	No	A+	6
0028339	ToLEDo Candle V6 FR 806lm 865 E14 SL	220-240	8	806	101	6500	80	E14	15,000	60	No	A+	6
<b>ToLEDo™ Candle Dimmable</b>													
0026935	ToLEDo Candle V4 DIM FR 470lm 827 E14 SL	220-240	5.6	470	84	2700	80	E14	15,000	40	Yes	A+	6
0028400	ToLEDo Candle V4 DIM FR 470lm 827 B22 SL	220-240	5.6	470	84	2700	80	B22	15,000	40	Yes	A+	6
0027516	ToLEDo Candle V4 DIM FR 470lm 840 E14 SL	220-240	5.6	470	84	4000	80	E14	15,000	40	Yes	A+	6
0026971	ToLEDo Candle V4 DIM FR 470lm 865 E14 SL	220-240	5.6	470	84	6500	80	E14	15,000	40	Yes	A+	6
<b>ToLEDo™ Bent Tip Non-dimmable</b>													
0026939	ToLEDo Bent Tip V6 FR 470lm 827 E14 SL	220-240	5	470	94	2700	80	E14	15,000	40	No	A+	6

## Spectral Data


2700K Homelight



4000K Cool white




6500K Daylight



## Dimensions (mm)

Candle				
	250lm/ 470lm	E14	E27	B22
L	104	105	104	
W	35	35	35	
806lm				
L	115	115	113	
W	-	39	39	
Bent Tip				
	E27	E14		
L	126	-		
W	35	-		



## Additional Images



# Discover our other products

## ToLEDo™ Lifestyle



ToLEDo LifeStyle  
G190 Black



ToLEDo LifeStyle  
G190 Golden



ToLEDo LifeStyle  
T180 Black



ToLEDo LifeStyle  
T180 Golden

## ToLEDo™ Mirage



B75



T45



T60



ST64



E115



A165



G120



G200

## ToLEDo™ Vintage



Candle



G200



GLS



G200



G120



A160



A160



G95



ST64

## ToLEDo™ Retro



Candle



Candle  
Bent-tip



Candle  
Twisted



GLS



ST64



Ball



T25




G80



G120

# SYLVANIA



Although every effort has been made to ensure accuracy in the compilation of the technical detail within this publication, specifications and performance data are constantly changing. Current details should therefore be checked with Feilo Sylvania Europe Limited.

Copyright Feilo Sylvania Europe Limited June 2019

[sylvania-lighting.com](http://sylvania-lighting.com)

A Feilo Sylvania Company